



EXCLUSIVE
FLOOR TILES

F.Vo.21.1

ABOUT US

Star Ceramics Limited is a Bangladesh - Lebanon joint venture company situated along the highway to Sylhet extending an area of 150,00 square meters. Star Ceramics Limited is the largest manufacturer of ceramic / vitrified tiles in Bangladesh. It has an annual aggregate production capacity of 7.3 million sq. meters of wall and floor tiles.

We are a company that has been at the forefront of innovation. Innovative and forward-looking, we have many firsts to our name - pioneers in the manufacturing of Digital Printed tiles in Bangladesh, the first to introduce Nano Technology, Launched the biggest tiles such as 60X90cm, 60x120cm. Star Ceramics also introduced new size in the market such as 20X50cm, 33X50cm, & 50X50cm. Quality and durability, combined with the aesthetics of design and color has transformed us into experts that offer extraordinary wall and floor tiling.

The manufacturing units are equipped with cutting edge digital technology. Intense automation, robotic car application and a less chance for human error are just few reasons why Star Ceramics remains at the top in the industry. European technology, research, design or quality, Star Ceramics has set its sight on all these factors adopting new production techniques in order to enhance the quality of its products.

PRODUCT MIX

Product	Description	Size
Wall Tiles	Glazed ceramic porcelain red body tiles	20 cm x 30 cm
	Ceramic red body with matching decor and border (Glazed, rustic stone & star graphics)	33 cm x 50 cm
		30 cm x 60 cm
Floor Tiles	Gres porcellanato (Glazed Vitrified, homogeneous salt & pepper, rustic)	40 cm x 40 cm
		50 cm x 50 cm
	Mirror polish (Lapato, glazed vitrified classic & nano crystal)	60 cm x 60 cm 60 cm x 90 cm 60cm x 120cm

Star Ceramics is accredited with ISO 9001, ISO 14001 and OHSAS 18001 for quality, environment and occupational health and safety management systems.

Our Sanitary ware plant has started its commercial production with the initial aggregate capacity of 0.5 million pieces per year in several most modern designs to suite all tastes and segments of market.

INDEX



60CM X 60CM & 60CM X 120CM FLOOR TILES

SERIES NAME	PAGE
HOLLYWOOD GLAM	01 - 20
OCEANIA	21 - 26
TROY	27 - 34
VENEER	35 - 38
REVA	39 - 42
TIMELESS	43 - 56
JAINAMAZ	57 - 64
IMPORTANT NOTES	65 - 67

SPECIFICATION


Set: Single Tiles
Coordinated: 30 X 60
Usages: Living,
Bedroom,
Office space,
Dining room

Special Feature:

The series is all about the fascination created by the luxurious and elegant appearance. The enchanting designs will bring the stars of the glamour world right on your floors and walls.

Surface:
Mirror Polished

Hollywood
GAM
60CM X 60CM
CERAMIC FLOOR TILES



60CM X 60CM
NANO POLISHED



HG 66245 LBE G



HG 66236 BE G



HG 66250 LGY



HG 66244 LBE



HG 66235 BE



HG 66251 LGY G



60CM X 60CM
NANO POLISHED



HG 66240 GY G



HG 66263 LBE G



HG 66249 LBR G



HG 66239 GY



HG 66262 LBE



HG 66248 LBR

60CM X 60CM
NANO POLISHED



HG 66238 WH G



HG 66266 WH G



HG 66237 WH



HG 66253 LBE G



HG 66267 LBE G



HG 66252 LBE



Glossy
(Floor)



High
Strength



Porcelain
(Body)



Digital
Color

60CM X 60CM
NANO POLISHED



Glossy
(Floor)



High
Strength



Porcelain
(Body)



Digital
Color

60CM X 60CM
NANO POLISHED



HG 66236 BE G



HG 66235 BE





60CM X 60CM
NANO POLISHED



HG 66240 GY G



HG 66239 GY



60CM X 60CM
NANO POLISHED





Glossy
(Floor)



High
Strength



Porcelain
(Body)



Digital
Color

60CM X 60CM
NANO POLISHED



Glossy
(Floor)



High
Strength



Porcelain
(Body)



Digital
Color

60CM X 60CM
NANO POLISHED



HG 66253 LBE G



HG 66267 LBE G



HG 66252 LBE





Glossy (Floor)



High Strength



Porcelain (Body)



Digital Color

60CM X 60CM
NANO POLISHED



HG 66238 WH G



HG 66266 WH G



HG 66237 WH



Glossy (Floor)



High Strength



Porcelain (Body)



Digital Color

60CM X 60CM
NANO POLISHED





Glossy (Floor)



High Strength



Porcelain (Body)



Digital Color

60CM X 60CM
NANO POLISHED



Glossy (Floor)



High Strength



Porcelain (Body)



Digital Color

60CM X 60CM
NANO POLISHED



HG 66263 LBE G



HG 66262 LBE





Glossy (Floor)



High Strength



Porcelain (Body)



Digital Color

60CM X 60CM
NANO POLISHED



HG 66250 LGY



HG 66251 LGY G



Glossy (Floor)



High Strength



Porcelain (Body)



Digital Color

60CM X 60CM
NANO POLISHED





60CM X 60CM
NANO POLISHED



60CM X 60CM
NANO POLISHED



HG 66245 LBE G



HG 66244 LBE





60CM X 60CM
NANO POLISHED



HG 66249 LBR G



HG 66248 LBR



60CM X 60CM
NANO POLISHED








SPECIFICATION

Set: Single Tiles
Coordinated: No
Usages: Living, Bedroom, Office space, Dining room

Special Feature:
Anti-Slip, Rain Drop Effect (not sugar effect), Heavy traffic area (suitable for outdoor e.g. Parking)

Surface:
Matt (non polished)



60CM X 60CM
RAIN DROP EFFECT



SD 66004 BR



SS 66007 BR



SF 66009 GY



SF 66006 GY



SF 66008 BE



SD 66005 BE



60CM X 60CM
RAIN DROP EFFECT



60CM X 60CM
RAIN DROP EFFECT



SS 66007 BR



SF 66009 GY





Anti Slip



Matt (Floor)



High Strength



Porcelain (Body)



Digital Color

60CM X 60CM
RAIN DROP EFFECT



SD 66004 BR



SD 66005 BE



Anti Slip



Matt (Floor)



High Strength



Porcelain (Body)



Digital Color

60CM X 60CM
RAIN DROP EFFECT





SPECIFICATION

Set: Single Tiles
Coordinated: No
Usages: Living,
Bedroom,
Office space,
Dining room


Special Feature:
Colorful, unblemished
look to any room , ideal for
those who are looking for a modern
look in floor and open living spaces,
polished finish which refracts light
around the room and creates the
illusion of space.

Surface:
Mirror Polished

TROY
60CM X 60CM
CERAMIC FLOOR TILES



60CM X 60CM
NANO POLISHED



Glazed Vitrified Classic Crystal




TY 66601 OBR



TY 66602 YE



TY 66608 GBR



60CM X 60CM
NANO POLISHED

Glazed Vitrified Classic Crystal



TY 66605 GBR



TY 66603 LGR



TY 66604 GYE




TY 66885 GBR



TY 66607 GBK



TY 66606 BR



60CM X 60CM
NANO POLISHED



TY 66603 LGR



60CM X 60CM
NANO POLISHED



TY 66604 GYE




TY 66607 GBK




60CM X 60CM
NANO POLISHED





60CM X 60CM
NANO POLISHED



60CM X 60CM
NANO POLISHED



TY 66885 GBR



TY 66602 YE



SPECIFICATION




Set: Single Tiles
Coordinated: No
Usages: Living,
Bedroom,
Office space,
Dining room

Special Feature:
Anti-slip, Rain Drop Effect
(not sugar effect), Heavy traffic
area (suitable for outdoor e.g.
Parking).

Surface:
Matt (non polished)

VENEER

60CM X 60CM
CERAMIC FLOOR TILES



60CM X 60CM
MATT



Rain Drop Effect



VR 66002 GBE



VR 66003 BE



VR 66001 GY



Anti Slip



Matt (Floor)



High Strength



Porcelain (Body)



Digital Color

60CM X 60CM
MATT



60CM X 60CM
MATT



VR 66002 GBE



VR 66001 GY



Anti Slip



Matt (Floor)



High Strength



Porcelain (Body)



Digital Color




SPECIFICATION

Set: Single Tiles
Coordinated: No
Usages: Living,
Bedroom,
Office space,
Dining room


Special Feature:
Water Sprinkle Effect

Surface:
Matt
Lapato (Semi Polished)




REVA
60CM X 60CM
CERAMIC FLOOR TILES


60CM X 60CM
WATER SPRINKLE EFFECT




RA 66892 DBL




RA 66894 BE



RA 66891 BK




RA 66893 CBR




60CM X 60CM
WATER SPRINKLE EFFECT




60CM X 60CM
WATER SPRINKLE EFFECT



RA 66891 BK



RA 66894 BE



TIMELESS

60CM X 60CM
CERAMIC FLOOR TILES

60CM X 60CM
NANO POLISHED



66361 GPCC GBE



66362 GPCC LBL



66363 GPCC IV



66364 GPCC GY



66365 GPCC WBE



66366 GPCC GYE



Glossy (Floor)



High Strength



Porcelain (Body)




Digital Color

60CM X 60CM
NANO POLISHED



66888 GPC LGY



66886 GPC LBE



66889 GPC BGR



66887 GPC LYE



Glossy (Floor)



High Strength



Porcelain (Body)



Digital Color

60CM X 60CM
NANO POLISHED



66888 GPC LGY




66889 GPC BGR






60CM X 60CM
NANO POLISHED

Glazed Vitrified Classic Crystal




66265 GPCC WGY



66501 GPCC



66312 GPCC LBR



66313 GPCC WH



66314 GPCC GY




66315 GPCC WLK



60CM X 60CM
NANO POLISHED

Glazed Vitrified Classic Crystal



66317 GPCC GY



66321 GPCC BE



66323 GPCC MCL



66324 GPCC BE



66326 GPCC JWBR



66328 GPCC JWBR



60CM X 60CM
NANO POLISHED

Glazed Vitrified Classic Crystal



66329 GPCC JWBE



66339 GPCC YE



66340 GPCC IV



66341 GPCC GY



66342 GPCC LGR



66343 GPCC WLBE

60CM X 60CM
NANO POLISHED



Glazed Vitrified Classic Crystal



66344 GPCC BR



66346 GPCC LBE




66347 GPCC GBE



66348 GPCC BE



66349 GPCC IV



66350 GPCC LGY



60CM X 60CM
NANO POLISHED

Glazed Vitrified Classic Crystal



66355 GPCC LBE



66356 GPCC GY



66357 GPCC LG




66358 GPCC IV




66360 GPCC BE

Mega White



GP 66000 MW WH



60CM X 60CM
NANO POLISHED

Glazed Vitrified Classic Crystal



GP 66201 MW GY



GP 66202 MW LBR



66351 GPCC LBL [L]

Lapato



66352 GPCC LBE [L]

Semi Polished Vitrified



66254 GPCC WLBE [L]




GP 66203 OS OR

Oscar



60CM X 60CM
NANO POLISHED

Glazed Vitrified Classic Crystal



GP 66204 OS BR



GP 66205 OS BK




GP 66206 OS WIV



GP 66208 OS LBE



GP 66209 OS OR



66000 GPNC BK



60CM X 60CM
NANO POLISHED

Glazed Vitrified Classic Crystal



66103 GPNC GY



66114 GPNC BE



66118 GPNC IV



66120 GPNC GR



TS 66883 MT LBE

Matt



66223 MT BR

Matt




60CM X 60CM
NANO POLISHED

Glazed Vitrified Classic Crystal



66254 GPCC WLBE [L]



GP 66501 SG



66371 GPCC LBE



66372 GPCC GBE



66373 GPCC GBE




66681 MT DBE




60CM X 60CM
NANO POLISHED




66680 MT CBR



GP 66501 SG



60CM X 120CM
NANO POLISHED



60CM X 120CM



BIANCO STATUARIO



EMPERADOR BG




BOTTACHINO BG

Glazed Vitrified Classic Crystal



NATURAL PLANK IV



60CM X 120CM
NANO POLISHED

Glazed Vitrified Classic Crystal




SICILIA CREMA



TOUCH WOOD GRIS



ONYX PEARL



MIST CREMA



60CM X 120CM
NANO POLISHED



HERITAGE CREMA






60CM X 120CM
MATT




BURMINO PINE



60CM X 120CM
MATT



FERRO WOOD



Jainamāz




JZ 61201 BL




JZ 61202 BE

60CM X 120CM
NANO POLISHED



60CM X 120CM
NANO POLISHED



IMPORTANT NOTES

Tiles Fixing

1. Tiles carton must be handled with care and must be stored vertically to avoid breakage & scratch
2. Tiles should be immersed in clean water for 10-15 minutes before fixing
3. At least 3-5 mm gap should be kept between wall & floor tiles by using spacer / clip
4. Always use rubber hammer to knock the tiles for proper laying
5. Grout should be evenly spread during fixing of wall & floor tiles

ATTENTION

All fired ceramic tiles are subject to size, shape, shade, and weight variation. Mixing of lime with cement or careless use of rich mix will lead to wall/floor tiles failure.

Sanitaryware Installation

1. Ceramic Sanitaryware must be checked before installation, fitting must be made according to the installation instruction.
2. The surface of the wall or floor must be flat where the sanitaryware will be mounted.
3. Avoid fixing the sanitaryware with glue or any other similar materials. Use quality white cement.
4. We recommend hiring professional plumber for installation of sanitaryware.

TECHNICAL SPECIFICATIONS

FLOOR TILES







TEST DESCRIPTION	STANDARD METHOD	INTERNATIONAL STANDARD ISO 1300: 1998 (E)	STAR CERAMICS STANDARD
Length & Width	BS EN ISO 10545-2	±0.6%	±0.15%
Thickness	BS EN ISO 10545-2	±5.0%	±5.0%
Strengthens Of Sides	BS EN ISO 10545 - 2	±0.5%	±0.2%
Rectangularity	BS EN ISO 10545 - 2	±0.6%	±0.2%
Surface Flatness	BS EN ISO 10545 - 2	±0.5%	±0.25%
Water Absorption	BS EN ISO 10545 - 3	≤ 0.50%	≤ 0.35%
Modules Of Rupture	BS EN ISO 10545 - 4	≥ 40 N/mm ²	≥ 40 N/mm
Resistance To Deep Abrasion	BS EN ISO 10545 - 6	≤ 175 N/mm ²	≤ 150 N/mm
Thermal Shock Resistance	BS EN ISO 10545 - 9	No Visible Defect	No Visible Defect
Frost Resistance	BS EN ISO 10545 - 12	No Visible Damage	No Visible Damage
Resistance To Stains	BS EN ISO 10545 - 14	Manufacturer To State Class	Stains Removed Class - 2

ATTENTION

All fired ceramic sanitaryware are subject to shape and shade variation, before installing please check the product (flushing unit)



SANITARYWARE

	Conformity to Norms	Star Standard
	Water Absorption	0.01-0.1%
	Modulus of Rupture	600-650 kg/cm ²
	Chemical Resistance	Resist
	Crazing Resistance	Resist
	Staining Resistance	Resist
	Burning Resistance	Resist



Serving You Excellence

Head Office

Bijoy Rakeen City, Plot-1/2, Block - D
Section -15, Mirpur, Dhaka-1216

Factory

Riaznagar, Baghasura, Madhabpur
Habigonj 3300, Bangladesh

<p>Mirpur Bijoy Rakeen City (Level-05) Plot-1/2, Block - D, Section -15 Mirpur, Dhaka-1216</p>	<p>Sylhet Gazi Borhan Uddin Road Nowgaon, Mehedibag, Sylhet</p>
<p>Display Center</p>	
<p>Hatirpool Hamid Plaza, 300/5/A/1, Bir Uttam C.R Datta Road, Hatirpool, Dhaka</p>	<p>Rajshahi Munshi Danga Moor, Rani Bazar Rajshahi</p>

Phone

(+880) 09639 777111, (+880) 09639 555222

 starceramicsbd.com