



CATALOGUE

SPECIAL WALL TILES

V . 1 . 22

STAR CERAMICS LIMITED

CORPORATE OFFICE

Bijoy Rakeen City, Plot-1/2, Block - D,
Section -15, Mirpur, Dhaka-1216
Hotline: 16759

CHATTOGRAM OFFICE

C&F Tower(6th Floor), 1712(New
SK Mujib Road Agrabad, Chattogram-4100
Phone : 01713 755788

DISPLAY CENTERS

Mirpur

Bijoy Rakeen City (Level-05),
Plot-1/2, Block - D, Section -15,
Mirpur, Dhaka-1216
Phone : 01755 582874

Hatirpool

Hamid Plaza, 300/5/A/,
Bir Uttam, C.R Datta Road,
Hatirpool, Dhaka
Phone : 01755 545293

Rajshahi

Munshi Danga Moor,
Rani Bazar,
Rajshahi
Phone : 01713 755801

Sylhet

Gazi Borhan Uddin Road
Nowgaon, Mendibag,
Sylhet
Phone : 01755 545298

Factory

Riaznagar, Baghasura, Madhabpur, Hobigonj 3300,
Bangladesh



www.starceramicsbd.com

|



[@starceramics](https://www.facebook.com/starceramics)

|



[@star_ceramics](https://www.instagram.com/star_ceramics)

|



[star-ceramics-limited](https://www.linkedin.com/company/star-ceramics-limited)

ABOUT US

Star Ceramics Limited is a Bangladesh - Lebanon joint venture company situated along the highway to Sylhet extending an area 15,000 square meters. Star Ceramics Limited is the largest manufacturer of ceramic / vitrified tiles in Bangladesh. It has an annual aggregate production capacity of 7.3 million sq. meters of wall and floor tiles.

We are a company that has been at the forefront of innovation. Innovative and forward-looking, we have many firsts to our name pioneers in the manufacturing of Digital Printed tiles in Bangladesh, the first to introduce Nano Technology, Launched the biggest tiles such as 60X90cm, 60x120cm. Star Ceramics also introduced new size in the market such as 20X50cm, 33X50cm, & 50X50cm. Quality and durability, combined with the aesthetics of design and color has transformed us into experts that offer extraordinary wall and floor tiling.

The manufacturing units are equipped with cutting edge digital technology. Intense automation, robotic car application and a less chance for human error are just few reasons why Star Ceramics remains at the top in the industry. European technology, research, design or quality, Star Ceramics has set its sight on all these factors adopting new production techniques in order to enhance the quality of its products.



INDEX

30CM x 60CM

WALL & FLOOR

HOLLYWOOD GLAM 01-14

30CM x 50CM

WALL

EMPIRE 15-22

POLLI 23-30

ARENA 31-36

EDEN 37-44

DEJAVU 45-58

CLASSIC 59-70

TECHNICAL SPECIFICATIONS


..... 71-72

Hollywood
GAM

30CM X 60CM SERIES
WALL & FLOOR TILES
NANO POLISHED



HG 36106 GPCC LGY




HG 36106 GPCC LGY D



HG 36106 GPCC DGY






HG 36105 GPCC LGY




HG 36105 GPCC LGY D



HG 36105 GPCC DGY





HG 36119 GPCC IV



HG 36119 GPCC IV D



HG 36119 GPCC DIV



WALL & FLOOR TILES 30CM X 60CM
NANO POLISHED



HG 36110 GPCC LGY




HG 36110 GPCC LGY D






HG 36111 GPCC LBR




HG 36111 GPCC LBR D






HG 36108 GPCC LGY




HG 36108 GPCC LGY D




HG 36108 GPCC DGY






HG 36109 GPCC LBR



HG 36109 GPCC LBR D



HG 36109 GPCC DBR





HG 36114 GPCC LBR




HG 36114 GPCC DBR D



HG 36114 GPCC DBR



WALL & FLOOR TILES 30CM X 60CM
NANO POLISHED



HG 36113 GPCC LGY



HG 36113 GPCC LGY D



HG 36113 GPCC DGY





HG 36117 GPCC LBR




HG 36117 GPCC LBR D



HG 36117 GPCC DBR





HG 36118 GPCC IV




HG 36118 GPCC IV D



HG 36118 GPCC DIV





HG 36115 GPCC LBE



HG 36115 GPCC DBE D



HG 36115 GPCC DBE



WALL & FLOOR TILES 30CM X 60CM
NANO POLISHED



New Series

EMPIRE

30CM X 50CM

RUSTIC MATT
CERAMIC WALL TILES





EE 305044 RM BR



EE 305046 RM MCL

EMPIRE 30CM X 50CM
RUSTIC MATT





EE 305045 RM GBE



EE 305047 RM IV

EMPIRE 30CM X 50CM
RUSTIC MATT





EE 305048 RM GY

EMPIRE 30CM X 50CM
RUSTIC MATT



EMPIRE 30CM X 50CM
RUSTIC MATT



EE 305052 RM GY



EE 305050 RM BR



EMPIRE 30CM X 50CM
RUSTIC MATT



EE 305051 RM DBR



EE 305053 RM DBR






EE 305049 RM BR

EMPIRE 30CM X 50CM
RUSTIC MATT



EMPIRE 30CM X 50CM
RUSTIC MATT






New Series



30CM X 50CM
MATT CERAMIC WALL TILES



POLLI 30CM X 50CM
MATT



PI 305040 MT LBL




PI 305040 RM LBL D



PI 305040 MT DBL



POLLI 30CM X 50CM
MATT



PI 305041 MT IV



PI 305041 RM IV D



PI 305041 MT DIV



POLLI 30CM X 50CM
MATT



PI 305042 MT LBR




PI3 05042 RM LBR D



PI 305042 MT DBR



POLLI 30CM X 50CM
MATT



PI 305038 MT LGY




PI 305038 RM LGY D



PI 305038 MT DGY



POLLI 30CM X 50CM
MATT



PI 305039 MT IV




PI 305039 RM IV D



PI 305039 MT DIV




POLLI 30CM X 50CM
MATT




PI 305043 MT LGY



PI 305043 RM CBR D



PI 305043 MT CBR



POLLI 30CM X 50CM
MATT





ARENA


30CM X 50CM
RUSTIC MATT
CERAMIC WALL TILES



AA 305033 RM BR




AA 305034 RM GY




ARENA 30CM X 50CM
RUSTIC MATT



AA 305030 RM LGY





AA 305029 RM DGY



AA 305032 RM MCL



ARENA 30CM X 50CM
RUSTIC MATT



AA 305028 RM DBR





AA 305026 RM BR



AA 305031 RM BR





Eden

30CM X 50CM
GLOSSY CERAMIC WALL TILES



EDEN 30CM X 50CM
GLOSSY




EN 305024 GL LBR



EN 305024 GL LBR DE1



EN 305024 GL DBR



44801 MT DBE



EDEN 30CM X 50CM
GLOSSY




EN 305012 GL LGY




EN 305012 GL LGY DE1



EN 305012 GL GY



44103 MT WH



EDEN 30CM X 50CM
GLOSSY




EN 305012 GL LGY



EN 305012 GL LGY DE2



EN 305012 GL GY



44103 MT WH



EDEN 30CM X 50CM
GLOSSY



EN 305023 GL LYBR



EN 305023 GL LYBR DE1



EN 305023 GL DYBR



44043 MT DBE



EDEN 30CM X 50CM
GLOSSY



EN 305023 GL LYBR



EN 305023 GL LYBR DE2




EN 305023 GL DYBR



44043 MT DBE



EDEN 30CM X 50CM
GLOSSY




EN 305010 GL LPK



EN 305010 GL LPK D1




EN 305010 GL DPK



44928 MT LBE



EDEN 30CM X 50CM
GLOSSY



EN 305009 GL LPK



EN 305009 GL DPK D1



EN 305009 GL DPK



DEJAMU

30CM X 50CM
GLOSSY & MATT
CERAMIC WALL TILES


DEJAVU 30CM X 50CM
MATT



DV 305022 MT DBR



DEJAVU 30CM X 50CM
MATT



DV 305020 MT BK



DV 305021 MT GBK



DEJAVU 30CM X 50CM
MATT



DV 305019 MT BR



DEJAVU 30CM X 50CM
MATT




DV 305015 MT GY



DV 305015 MT GY D1




DV 305015 MT BK



44930 MT GY



DEJAVU 30CM X 50CM
MATT




DV 305017 MT LBE



DV 305017 MT LBE D1



DV 305017 MT DBE



44930 MT GY



DEJAVU 30CM X 50CM
MATT



DV 305014 MT LGY



DV 305014 MT LGY D1



DV 305014 MT DGY



44930 MT GY



DEJAVU 30CM X 50CM
MATT



DV 305016 MT LGY



DV 305016 MT GBK D1



DV 305016 MT DGY



44932 MT LGY



DEJAVU 30CM X 50CM
MATT



DV 305018 MT LBE



DV 305018 MT DBE D1



DV 305018 MT DBE



44931 MT LYG



DEJAVU 30CM X 50CM
GLOSSY



DV 305011 GL LBE



DV 305011 GL DBE D1



DV 305011 GL DBE



44929 MT BE



DEJAVU 30CM X 50CM
GLOSSY



DV 305013 GL GY



DV 305013 GL GY D1



DV 305013 GL BK



44920 MT LGY



DEJAVU 30CM X 50CM
GLOSSY




DV 305013 GL GY



DV 305013 GL GY D2



DV 305013 GL BK



44920 MT LGY



DEJAVU 30CM X 50CM
GLOSSY



DV 305027 GL LBR



DV 305027 GL DBR DE1



DV 305027 GL DBR



44926 MT LBE



DEJAVU 30CM X 50CM
GLOSSY



DV 305027 GL LBR



DV 305027 GL DBR DE2



DV 305027 GL DBR



44926 MT LBE





CLASSIC

30CM X 50CM
GLOSSY CERAMIC WALL TILES

CLASSIC 30CM X 50CM
GLOSSY



305007 GL LBE



305007 GL LBE D1



305007 GL DBE



SCLJ 44081 MT LBE



CLASSIC 30CM X 50CM
GLOSSY



305001 GL LBE



305001 GL LBE D1




305001 GL DBE



44062 MT DBE




CLASSIC 30CM X 50CM
GLOSSY



305005 GL LBE




305005 GL LBE D



305005 GL DBE



CLASSIC 30CM X 50CM
GLOSSY




305006 GL WH



305006 GL PK D1




305006 GL PK



44103 MT WH



CLASSIC 30CM X 50CM
GLOSSY




305003 GL LGY



305003 GL LGY D



305003 GL DGY



44104 MT LGY



CLASSIC 30CM X 50CM
GLOSSY



305008 GL LGR



305008 GL LGR DE1




305008 GL DGR



CE 44153 GL LGR




CLASSIC 30CM X 50CM
GLOSSY



305004 GL LBL



305004 GL LBL D1



305004 GL DBL



SCLJ 44083 MT DBL



CLASSIC 30CM X 50CM
GLOSSY




305002 GL WLBR



305002 GL WBR DE1




305002 GL WBR




44032 MT LBE




CLASSIC 30CM X 50CM
GLOSSY




CC 305037 GL LBE




CC 305037 GL LBE D1




CC 305037 GL DBE



44104 MT LGY



CLASSIC 30CM X 50CM
GLOSSY



CC 305035 GL WLBR



CC 305035 GL WLBR D1



CC 305035 GL WDBR



44919 MT WLBR



CLASSIC 30CM X 50CM
GLOSSY



CC 305036 GL LBR



CC 305036 GL LBR D1



CC 305036 GL DBR



44032 MT DBE



TECHNICAL SPECIFICATIONS

WALL TILES

TEST DESCRIPTION	STANDARD METHOD	INTERNATIONAL STANDARD ISO 1300: 1998 (E)	STAR CERAMICS STANDARD
Length & Width	BS EN ISO 10545 -2	±0.6%	±0.3%
Thickness	BS EN ISO 10545 -2	±5.0%	±5.0%
Strengthens Of Sides	BS EN ISO 10545 -2	±0.5%	±0.3%
Rectangularity	BS EN ISO 10545 -2	±0.6%	±0.4%
Surface Flatness	BS EN ISO 10545 -2	±0.5%	±0.30%
Water Absorption	BS EN ISO 10545 -3	≥ 10% - ≤ 16%	≤ 16%
Modules Of Rupture	BS EN ISO 10545 -4	² ≥ 18 N/mm	≥ 18 N/mm
Resistance To Surface Abrasion	BS EN ISO 10545 -7	Class 2-4	Class 2-4
Thermal Shock Resistance	BS EN ISO 10545 -9	No Damage	No Damage
Crazing Resistance	BS EN ISO 10545 -11	No Crazing	No Crazing
Resistance To Chemicals	BS EN ISO 10545 -13	No Damage	No Damage
Resistance To Stains	BS EN ISO 10545 -14	Stains Removed	Stains Removed

TECHNICAL SPECIFICATIONS

FLOOR TILES

TEST DESCRIPTION	STANDARD METHOD	INTERNATIONAL STANDARD ISO 1300: 1998 (E)	STAR CERAMICS STANDARD
Length & Width	BS EN ISO 10545-2	±0.6%	±0.15%
Thickness	BS EN ISO 10545-2	±5.0%	±5.0%
Strengthens Of Sides	BS EN ISO 10545 - 2	±0.5%	±0.2%
Rectangularity	BS EN ISO 10545 - 2	±0.6%	±0.2%
Surface Flatness	BS EN ISO 10545 - 2	±0.5%	±0.25%
Water Absorption	BS EN ISO 10545 - 3	≤ 0.50%	≤ 0.35%
Modules Of Rupture	BS EN ISO 10545 - 4	≥ 40 N/mm	≥ 40 N/mm
Resistance To Deep Abrasion	BS EN ISO 10545 -6	≤ 175 N/mm	≤ 150 N/mm
Thermal Shock Resistance	BS EN ISO 10545 - 9	No Visible Defect	No Visible Defect
Frost Resistance	BS EN ISO 10545 -12	No Visible Damage	No Visible Damage
Resistance To Stains	BS EN ISO 10545 -14	Manufacturer To State Class	Stains Removed Class - 2